



RECESSED GIMBAL SPOTLIGHTS

Round and square recessed LED downlights with gimbal designed for general and accent lighting.

Thanks to gimbal arrangement it is very easy to direct the light.

A diversification of shapes, sizes, lumen output and wattage.

Bright, vivid, colourful LED light.


The most known top worldwide brands on the board.

STARLED II M

LED recessed gimbal downlight
 max. 29W(Module) / 32W(System)
 max. 3500lm(M) / 3000lm(S)
 CCT=2700K | 3000K | 3250K | 3500K | 4000K | 5000K
 1100lm / 2000lm / 3000lm / 4000lm luminaire lumen class
 category

CRISP WHITE | FASHION - BEST COLOUR + BEST WHITE
 FRESH MEAT | MEAT+ | FISH | VEGETABLE | FRUITS |
 GOLD | JEWELRY | ART

CRI(Ra) > 80 | CRI(Ra)>90 | CRI(Ra)>97
 MacAdam 2
 Tilting and turning (359°/60°)
 5 years guarantee
 220-240V; 50/60 Hz AC Power supply
 ON/OFF | 1-10V | PUSH-DIM | DALI | CASAMBI | BLL
 White/Black
 1,2kg



Type	CRI + CCT *	Reflector	Dimming	Colour
EDC 181 1/13 LED	827	15°	ON/OFF	WH (WHITE)
EDC 181 1/17 LED	830	24°	DALI	BL (BLACK)
EDC 181 1/21 LED	840	36°	CASAMBI	
EDC 181 1/25 LED	927		BLL	
EDC 181 1/29 LED	930		TUNABLE WHITE	
	930 BBBL			
	930 BRILIANT VIVID			
	935			
	940			

* - other versions like CRISP WHITE, PREMIUM WHITE, CLEAR WHITE, MEAT etc. also possible
 Order example: EDC 181 1/13 LED927 15DEG DALI WHITE

Type	COB Power [W]	Luminaire Power [W]	COB Flux* [lm]	Luminaire Flux* [lm]
EDC 181 1/13 LED	13	15	1830	1556
EDC 181 1/17 LED	17	20	2250	1913
EDC 181 1/21 LED	21	24	2658	2259
EDC 181 1/25 LED	25	28	3052	2594
EDC 181 1/29 LED	29	32	3435	2920

Based on CCT=3000K CRI(Ra)>90



Power, Luminous Flux and CCT depending on customer need; current detail technical data on website www.sentinel.pl
 Power & Luminous flux tolerance +/- 10%. Driverless versions on request.

STARLED II L


LED recessed gimbal downlight
 max. 39W(Module) / 42W(System)
 max. 4350(M) / 3700lm(S)
 CCT=2700K | 3000K | 3250K | 3500K | 4000K | 5000K
 1100lm / 2000lm / 3000lm / 4000lm / 5000lm luminaire
 lumen class category

CRISP WHITE | FASHION - BEST COLOUR + BEST WHITE
 FRESH MEAT | MEAT+ | FISH | VEGETABLE | FRUITS |
 GOLD | JEWELRY | ART

CRI(Ra) > 80 | CRI(Ra)>90 | CRI(Ra)>97
 MacAdam 2
 Tilting and turning (359°/90°)
 5 years guarantee
 220-240V; 50/60 Hz AC Power supply
 ON/OFF | 1-10V | PUSH-DIM | DALI | CASAMBI | BLL |
 TUNABLE WHITE
 White/Black
 1,2kg



RECESSED
GIMBAL SPOTLIGHTS



Type	CRI + CCT *	Reflector	Dimming	Colour
EDC 182 1/17 LED	827	15°	ON/OFF	WH (WHITE)
EDC 182 1/21 LED	830	24°	DALI	BL (BLACK)
EDC 182 1/25 LED	840	36°	CASAMBI	
EDC 182 1/29 LED	927		BLL	
EDC 182 1/33 LED	930		TUNABLE WHITE	
EDC 182 1/35 LED	930 BBBL			
EDC 182 1/37 LED	930 BRILIANT VIVID			
EDC 182 1/39 LED	935			
	940			

* - other versions like CRISP WHITE, PREMIUM WHITE, CLEAR WHITE, MEAT etc. also possible
 Order example: EDC 182 1/39 LED930 36DEG ON/OFF WHITE

Type	COB Power [W]	Luminaire Power [W]	COB Flux* [lm]	Luminaire Flux* [lm]
EDC 182 1/17 LED	17	20	2250	1913
EDC 182 1/21 LED	21	24	2658	2259
EDC 182 1/25 LED	25	28	3052	2594
EDC 182 1/29 LED	29	32	3435	2920
EDC 182 1/33 LED	33	38	3807	3236
EDC 182 1/35 LED	35	40	3989	3391
EDC 182 1/37 LED	37	40	4169	3544
EDC 182 1/39 LED	39	42	4346	3694

Based on CCT=3000K CRI(Ra)>90



Power, Luminous Flux and CCT depending on customer need; current detail technical data on website www.sentinel.pl
 Power & Luminous flux tolerance +/- 10%. Driverless versions on request.